

CLAIMS

1. Apparatus comprising:

a seat including a seat portion and an attached seat back portion;

a uniform top fitted over the seat back portion and a uniform bottom fitted over the seat portion.

2. Apparatus of claim 1, wherein the uniform top and the uniform bottom support uniform adornment that identifies a member of an organization.

3. Apparatus of claim 1, wherein:

the seat back portion includes a lower end attached to the seat portion and an opposing upper end; and

the uniform top includes a neck opening situated at the upper end of the seat back portion.

4. Apparatus of claim 3, wherein the uniform top includes sleeves located on either side of the neck opening.

5. Apparatus of claim 3, wherein the uniform top includes arm openings located on either side of the neck opening.

6. Apparatus of claim 3, wherein the uniform top and the uniform bottom support engaged straps securing the uniform top and the uniform bottom to the seat and to each other.

7. Apparatus of claim 1, further including an engagement assembly carried by one of the uniform top and the uniform bottom and a detachably engaged complementary engagement assembly carried by the other of the uniform top and the uniform bottom.

8. Apparatus of claim 7, wherein the engagement assembly is supported at an end of the one of the uniform top and the uniform bottom and the complementary engagement assembly is supported at a confronting end of the other of the uniform top and the uniform bottom.

9. In a seat including a seat portion and an attached seat back portion, apparatus comprising:

a uniform top sized and shaped to be capable of being fitted over the seat back portion; and

a uniform bottom sized and shaped to be capable of being fitted over the seat portion.

10. Apparatus of claim 9, wherein the uniform top and the uniform bottom support uniform adornment that identifies members of a group.

11. Apparatus of claim 9, wherein the uniform top includes a neck opening.

12. Apparatus of claim 11, wherein the uniform top includes arm openings located on either side of the neck opening.

13. Apparatus of claim 11, wherein the uniform top includes sleeves located on either side of the neck opening.

14. Apparatus of claim 9, wherein the uniform top and the uniform bottom support engagable straps for securing the uniform top and the uniform bottom to the seat.

15. Apparatus of claim 9, further including an engagement assembly carried by one of the uniform top and the uniform bottom and a detachably engagable complementary engagement assembly carried by the other of the uniform top and the uniform bottom, wherein the engagement assembly is capable of being engaged to the complementary engagement assembly when the uniform top is fitted over the seat back portion and the uniform bottom is fitted over the seat portion.

16. Apparatus comprising:

a stadium for team sports events with seats for spectators and team adornment of a team adorning the stadium, each of the seats including a seat portion and an attached seat back portion;

each of the seats having an attached uniform including a uniform top fitted over the seat back portion thereof and a uniform bottom fitted over the seat portion thereof, the uniform top and the uniform bottom supporting uniform adornment that identifies members of the team.

17. Apparatus of claim 16, wherein the uniform top of each uniform includes a neck opening.

18. Apparatus of claim 17, wherein the uniform top of each uniform includes sleeves located on either side of the neck opening thereof.

19. Apparatus of claim 17, wherein the uniform top of each uniform includes arm openings located on either side of the neck opening thereof.

20. Apparatus of claim 16, wherein the uniform top and the uniform bottom of each uniform support engaged straps securing the uniform top and the uniform bottom of each uniform to one of the seats.

21. Apparatus of claim 16, wherein each of the uniforms includes an engagement assembly carried by one of the uniform top and the uniform bottom thereof and a detachably engaged complementary engagement assembly carried by the other of the uniform top and the uniform bottom thereof.

22. In a stadium for team sports events with seats for spectators and team adornment of a team adorning the stadium, each of the seats including a seat portion and an attached seat back portion, a method comprising steps of:

providing uniforms each including a uniform top that is sized and shaped to be capable of being fitted over the seat back portion of one of the seats and a uniform bottom that is capable of being fitted over the seat portion of one of the seats, the uniform top and the uniform bottom of each uniform supporting uniform adornment that identifies members of the team; and

fitting the uniform top and the uniform bottom of each of the uniforms over the seat back and the seat bottom of one of the seats.

23. The method of claim 22, further including attaching the uniform top to the uniform bottom of each of the uniforms.